

FIG. 1 is a perspective view of a shoe sole assembly 10, showing a sole 12 and a sole insert 14. The sole 12 is a sole insert 14, and the sole insert 14 is a sole insert 14.




FIG. 1




FIG. 3




FIG. 3






FIG. 5 is a top view of the sole of a shoe showing the arrangement of the air passages and the air inlet and outlet ports.




FIG. 5




FIG. 6

FIG. 7.




FIG. 8




FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

FIG. 16




FIG. 17





FIG. 18



1005541.01300




FIG. 19



FIG. 20




FIG. 21a




FIG. 21b






FIG. 22






FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28



FIG. 29 is a perspective view of the device of FIG. 1, showing the device in a closed position. The device is a long, narrow, rectangular strip with rounded ends. It has a series of seven U-shaped openings along its length. Each opening has a small, circular feature in the center. The device is shown in a perspective view, with the top and bottom surfaces visible. The top surface is slightly curved upwards. The bottom surface is slightly curved downwards. The device is shown in a closed position, with the top and bottom surfaces meeting at the ends. The device is shown in a perspective view, with the top and bottom surfaces visible. The top surface is slightly curved upwards. The bottom surface is slightly curved downwards. The device is shown in a closed position, with the top and bottom surfaces meeting at the ends.




FIG. 29




FIG. 30

FIG. 31 is a perspective view of the device 500 showing the top surface 502 and the bottom surface 504. The device 500 includes a plurality of protrusions 506 and a plurality of recesses 508. The protrusions 506 are arranged in a row along the top surface 502, and the recesses 508 are arranged in a row along the bottom surface 504. The device 500 is shown in a perspective view, and the labels 500, 502, 504, 506, and 508 are used to identify the various components of the device.




FIG. 31







FIG. 32





F1G.33

FIG. 34








FIG. 35




FIG. 36




FIG. 37a




FIG. 37b




FIG. 38

FIG. 39




FIG. 39

FIG. 40 is a perspective view of the glove 10, showing the fingers 11 and the palm 12. The fingers 11 are provided with a series of elongated, oval-shaped openings 13, which are arranged in a row along the length of each finger. The palm 12 is also provided with a series of elongated, oval-shaped openings 14, which are arranged in a row along the length of the palm. The openings 13 and 14 are formed by cutting out the material of the glove, leaving the edges of the openings intact. The openings 13 and 14 are designed to provide ventilation and flexibility to the glove, while maintaining the structural integrity of the material.





FIG. 40

FIG. 41






FIG. 42




FIG. 43






FIG. 45



FIG. 46




FIG. 46




FIG. 47a

FIG. 47b




FIG. 47c




FIG. 48




FIG. 49a





FIG. 49c




FIG. 49d




FIG. 50a




FIG. 50b




FIG. 50c




FIG. 50d





FIG. 51a

FIG. 51b






FIG. 52



FIG. 53




FIG. 53






FIG. 54

FIG. 55




FIG. 56




FIG. 56

FIG. 57a




FIG. 57b





FIG. 58a




FIG. 58b




FIG. 59a

FIG. 59b





FIG. 59c




FIG. 60a




FIG. 60b